PARCUS MEDICAL, LLC.

IMPLANTS & INSTRUMENTS FOR TISSUE REPAIR

Surgical Innovation | Customer Driven

For 10 years, Parcus Medical™ has been listening and reacting to the demands of the changing health care environment. Our mission is aligned with orthopedic surgeons and health care facilities that need Sports Medicine products that perform to the highest standards and provide a genuine value proposition for their patients.

With decades of experience in manufacturing and design to guide us, we now offer over 300 products that are made in our Sarasota, Florida facility. But that is just the beginning. Our ever expanding product portfolio is now available in over sixty countries and growing because at Parcus™, *Surgical Innovation is Customer Driven.*

KEY PRODUCTS

- **SLIK**™ Knotless Screw-In Anchors
- **SLiK**™ **Fix** Screw-In Tenodesis System
- Draw Tight™ Suture-Based Anchors
- PEEK CF Push-In Suture Anchors
- Knotless PEEK CF Push-In Suture Anchors
- Twist & Triple Twist PEEK Screw-In Suture Anchors
- V-LoX™ & V-LoX³ PEEK CF Screw-In Suture Anchors
- MiTi & MiTi XL Titanium Screw-In Suture Anchors
- V-LoX & V-LoX³ Titanium Screw-In Suture Anchors
- Parcus Braid™

PHONE 1.941.755.7965 • FAX 1.941.755.6543 • 6423 PARKLAND DRIVE, SARASOTA, FL 34243 • www.parcusmedical.com

© Copyright Parcus Medical, LLC | QD 2335 Rev 16 7/2018

SLiK Knotless Screw-In Anchors

SLiK is a knotless screw-in anchor that can be used for a variety of applications that require the fixation of soft tissue to bone. **SLiK** anchors are ideally suited for indications around the shoulder, such as rotator cuff repair. This anchor can be used in both lateral and medial row fixation. Combining **SLiK** with Parcus Braid Suture Tape helps to create an ideal knotless double-row rotator cuff repair. **SLiK** anchors provide a step-saving alternative to conventional "knotted" suture anchors and eliminate the "knot stacks" that can be associated with soft tissue irritation or impingement.

A **Suture Guide**, which is located on the distal end of the proprietary inner shaft of the driver, is designed to hold sutures deep into a bone socket. It also allows the surgeon to independently adjust suture tension prior to inserting the **SLiK** anchor. Suture tension is held constant during anchor insertion. An **Activation Button** on the inserter handle allows the anchor to be advanced into position using a simple, one-handed technique.

Recommended for use in both large and small-joint repairs.

KEY FEATURES:

- Diameter options: 4.75mm, 5.5mm, 6.25mm
- Suture Guide at distal tip allows final tension, before fixation
- Activation Button on driver for easy screw-in anchor insertion
- Material solutions:
  - Carbon fiber-reinforced PEEK-OPTIMA from Invibio
  - PEEK-OPTIMA Natural from Invibio

SLiK PEEK CF Anchors	
Part #	Description
10957	5.5mm x 15mm **SLiK** PEEK CF Screw-In Suture Anchor
10958	6.25mm x 15mm **SLiK** PEEK CF Screw-In Suture Anchor

SLiK PEEK Anchors	
Part #	Description
10915	4.75mm x 15mm **SLiK** PEEK Screw-In Suture Anchor
10918	5.5mm x 15mm **SLiK** PEEK Screw-In Suture Anchor
10919	6.25mm x 15mm **SLiK** PEEK Screw-In Suture Anchor

SLiK Fix Screw-In Tenodesis System



SLiK Fix is a screw ideally suited for tenodesis procedures. The design of **SLiK Fix** screws provides procedural advantages compared to other fixation methods.

The **Tendon Washer** and **Targeting Tip** allow one to engage and advance the tendon to the appropriate depth into the bone socket and assess tension of the tendon prior to inserting the screw. The **Tendon Washer** provides an increased surface area to prevent tendon pull-back. The **SLiK Fix** driver features an **Activation Button** that enables a simple, one-handed technique to advance the fixation screw.

Recommended for use in both large and small-joint repairs.

KEY FEATURES:

- Diameter options: 7.0mm, 8.0mm, 9.0mm
- Tendon Washer diameter: 5.0mm
- Tendon Washer/Targeting Tip on inserter to better manipulate the tendon
- Activation Button on driver for easy screw-in anchor insertion
- Material solutions:
  - Carbon fiber-reinforced PEEK-OPTIMA from Invibio
  - PEEK-OPTIMA Natural from Invibio

SLiK Fix PEEK CF Screws	
Part #	Description
10995	7.0mm x 15mm **SLiK Fix** PEEK CF Screw
10996	8.0mm x 15mm **SLiK Fix** PEEK CF Screw
10997	9.0mm x 15mm **SLiK Fix** PEEK CF Screw

SLiK Fix PEEK Screws	
Part #	Description
10952	7.0mm x 15mm **SLiK Fix** PEEK Screw
10953	8.0mm x 15mm **SLiK Fix** PEEK Screw
10954	9.0mm x 15mm **SLiK Fix** PEEK Screw

Draw Tight Suture-Based Anchors

Draw Tight Suture-Based Anchors are designed with a Parcus PEEK Power Tip to deliver improved insertion and a solid core for stronger fixation. They incorporate a set of Parcus Braid high strength deployment sutures that provide surgeons with a tactile confirmation the anchor has been successfully deployed.

KEY FEATURES:

- Diameters: 1.8mm & 3.2mm
- Tactile confirmation of successful deployment
- Single or double-loaded configurations
- Loaded w/Parcus Braid high strength suture
- Parcus PEEK Power Tip made of PEEK-OPTIMA™ Natural from Invibio

Draw Tight Suture-Based Anchors	
Part #	Description
10565	1.8mm Draw Tight Suture-Based Anchor w/One #2 Parcus Braid: White/Blue
10820	3.2mm Draw Tight Suture-Based Anchor w/Two #2 Parcus Braid: Blue & Blue/Blue
10588	3.2mm Draw Tight Suture-Based Anchor w/Two #2 Parcus Braid: White/Blue & White/Black

Parcus Braid



Comprised of Ultra High Molecular Weight Polyethylene (UHMWPE), the Parcus Braid family of non-absorbable suture products are designed to meet the demands of the orthopedic surgeon.

Parcus Braid high strength suture is supplied in a variety of color combinations to help with suture management in complicated repairs. It is available in various needle and packaging options to address the requirements of open and arthroscopic surgical procedures.

KEY FEATURES:

- Multiple configurations: suture, infinity loop, suture tape
- Size options from #1 to #5 and 2mm wide tape
- Assorted color combinations
- Available in various needle configurations
- Made of UHMWPE

Parcus Braid Suture Tape	
Part #	Description
20042	2mm Parcus Braid Suture Tape: White/Blue, 7in Working Length, 39in Total Length

Parcus Braid Suture	
Part #	Description
20046	#1 Parcus Braid: Blue/White, 36in Total Length
20050	#2 Parcus Braid: Blue/White, 36in Total Length
20049	Two #2 Parcus Braid: One White/Blue & One White/Black, 36in Total Length
20035	#2 Parcus Braid: Blue, w/Needles: MO-6 & CE, 36in Total Length
20055	#2 Parcus Braid: White, w/Needle: MO-6, 36in Total Length
20054	#2 Parcus Braid: White/Black, w/Needle: MO-6, 36in Total Length
20059	#5 Parcus Braid: White, w/Needle: CCS, 36in Total Length

Parcus Braid Infinity Loop	
Part #	Description
20053	#2 Parcus Braid Infinity Loop: White, w/Needle: Straight, 20in Loop Length, 24in Total Length
20056	#2 Parcus Braid Infinity Loop: White/Blue, w/Needle: Straight, 20in Loop Length, 24in Total Length
20060	#5 Parcus Braid Infinity Loop: White/Blue, w/Needle: Straight, 20in Loop Length, 24in Total Length

Knotless PEEK CF Push-In Suture Anchor

Knotless PEEK CF Push-In Suture Anchors provide a step-saving alternative to conventional "knotted" suture anchors and eliminate the "knot stacks" that can be associated with soft tissue irritation or impingement.

Made of carbon fiber-reinforced PEEK-OPTIMA, Knotless PEEK CF Push-In Suture Anchors are non-absorbable, radiolucent, and MR safe with a modulus of elasticity closely matching cortical bone.

Recommended for use in both large and small-joint repairs.

KEY FEATURES:

- Diameters: 2.8mm, 3.5mm, 4.5mm, & 5.5mm
- Single-use and reusable drivers available
- Suture passer included
- Made of carbon fiber-reinforced PEEK-OPTIMA from Invibio

Knotless PEEK CF Push-In Suture Anchors	
Part #	Description
10312	28 Knotless PEEK CF Push-In Suture Anchor w/Driver, w/ Suture Passer
10994	35 Knotless PEEK CF Push-In Suture Anchor w/Driver, w/ Suture Passer
10313	35 Knotless PEEK CF Push-In Suture Anchor w/Suture Passer
10314	45 Knotless PEEK CF Push-In Suture Anchor w/Suture Passer
10315	55 Knotless PEEK CF Push-In Suture Anchor w/Suture Passer

Knotless PEEK CF Push-In Suture Anchor, Hip Length	
Part #	Description
10312H	28 Knotless PEEK CF Push-In Suture Anchor w/Driver, w/ Suture Passer, Hip Length

PEEK CF Push-In Suture Anchors



Made of carbon fiber-reinforced PEEK-OPTIMA, PEEK CF Push-In Suture Anchors are non-absorbable, radiolucent, and MR safe with a modulus of elasticity closely matching cortical bone.

Ideal for knotted fixation for shoulder instability or foot & ankle.

KEY FEATURES:

- Diameter: 3.5mm
- Double-loaded configuration
- Available with needles (MO-6)
- Loaded w/Parcus Braid high strength suture
- Made of carbon fiber-reinforced PEEK-OPTIMA from Invibio

PEEK CF Push-In Suture Anchors	
Part #	Description
10323T	3.5mm PEEK CF Push-In Suture Anchor w/Two #2 Parcus Braid: Blue & White/Green
10407	3.5mm PEEK CF Push-In Suture Anchor w/Two #2 Parcus Braid: Blue & White/Green, w/Needles: MO-6, Short Length

V-LoX & V-LoX³ PEEK CF Screw-In Suture Anchors

V-LoX & V-LoX³ PEEK CF Screw-In Suture Anchors combine the strength of fully-threaded screw-in design with the image artifact reduction of non-metal material.

The first-ever family of suture anchors manufactured from carbon fiber-reinforced PEEK-OPTIMA, V-LoX & V-LoX³ PEEK CF Screw-In Suture Anchors are non-absorbable, radiolucent, and MR safe with a modulus of elasticity closely matching cortical bone.

Recommended for use in both large and small-joint repairs.

KEY FEATURES:

- Diameters: 5.5mm & 6.5mm
- Double and triple-loaded suture configurations
- Available with needles (MO-6)
- Fully-threaded design
- Loaded w/Parcus Braid high strength suture
- Made of carbon fiber-reinforced PEEK-OPTIMA from Invibio

V-LoX™ PEEK CF Screw-In Suture Anchors	
Part #	Description
10253T	5.5mm V-LoX PEEK CF Screw-In Suture Anchor w/Two #2 Parcus Braid: Blue & White/Green
10253	5.5mm V-LoX PEEK CF Screw-In Suture Anchor w/Two #2 Parcus Braid: White/Blue & White/Black
10254T	6.5mm V-LoX PEEK CF Screw-In Suture Anchor w/Two #2 Parcus Braid: Blue & White/Green
10263	5.5mm V-LoX PEEK CF Screw-In Suture Anchor w/Two #2 Parcus Braid: White & White/Blue, w/Needles: MO-6
10264	6.5mm V-LoX PEEK CF Screw-In Suture Anchor w/Two #2 Parcus Braid: White & White/Blue, w/Needles: MO-6

V-LoX³ Screw-In PEEK CF Suture Anchors	
Part #	Description
10324T	5.5mm V-LoX³ PEEK CF Screw-In Suture Anchor w/Three #2 Parcus Braid: Blue, White/Green & White/Black
10325T	6.5mm V-LoX³ PEEK CF Screw-In Suture Anchor w/Three #2 Parcus Braid: Blue, White/Green & White/Black

Twist & Triple Twist PEEK Screw-In Suture Anchors



Twist & Triple Twist PEEK Screw-In Suture Anchors combine the strength of fully-threaded screw-in design with the image artifact reduction of PEEK-OPTIMA Natural material. Because the threads continue along the full length of the anchor, they provide strong cortical fixation and reduce the risk of "pull-back."

Made of PEEK-OPTIMA Natural, Twist PEEK Screw-In Suture Anchors are non-absorbable, radiolucent, and MR safe.

Recommended for use in both large and small-joint repairs.

KEY FEATURES:

- Diameters: 4.5mm, 5.5mm, & 6.5mm
- Fully-threaded design
- Double- or triple-loaded configurations
- Available with Needles (MO-6)
- Loaded w/Parcus Braid high strength suture
- Made of PEEK-OPTIMA Natural from Invibio

Twist PEEK Screw-In Suture Anchors	
Part #	Description
10511T	4.5mm Twist PEEK Screw-In Suture Anchor w/Two #2 Parcus Braid: Blue & White/Green
10517T	5.5mm Twist PEEK Screw-In Suture Anchor w/Two #2 Parcus Braid: Blue & White/Green
10518T	6.5mm Twist PEEK Screw-In Suture Anchor w/Two #2 Parcus Braid: Blue & White/Green
10521	4.5mm Twist PEEK Screw-In Suture Anchor w/Two #2 Parcus Braid: White & White/Blue, w/Needles: MO-6
10522	5.5mm Twist PEEK Screw-In Suture Anchor w/Two #2 Parcus Braid: White & White/Blue, w/Needles: MO-6
Part #	Description
10523	6.5mm Twist PEEK Screw-In Suture Anchor w/Two #2 Parcus Braid: White & White/Blue, w/Needles: MO-6

Triple Twist PEEK Screw-In Suture Anchors	
Part #	Description
10524T	5.5mm Triple Twist PEEK Screw-In Suture Anchor w/Three #2 Parcus Braid: Blue, White/Green & White/Black
10525T	6.5mm Triple Twist PEEK Screw-In Suture Anchor w/Three #2 Parcus Braid: Blue, White/Green & White/Black

Twist PEEK Screw-In Suture Anchors w/Suture Tape	
Part #	Description
11081	4.5mm Twist PEEK Screw-In Suture Anchor w/One #2 Parcus Braid: White/Black, and One Parcus Braid Suture Tape: White/Blue
11081T	4.5mm Twist PEEK Screw-In Suture Anchor w/One #2 Parcus Braid: Blue, and One Parcus Braid Suture Tape: White/Black
11082	5.5mm Twist PEEK Screw-In Suture Anchor w/One #2 Parcus Braid: White/Black, and One Parcus Braid Suture Tape: White/Blue
11082T	5.5mm Twist PEEK Screw-In Suture Anchor w/One #2 Parcus Braid: Blue, and One Parcus Braid Suture Tape: White/Black
11083	6.5mm Twist PEEK Screw-In Suture Anchor w/One #2 Parcus Braid: White/Black, and One Parcus Braid Suture Tape: White/Blue
11083T	6.5mm Twist PEEK Screw-In Suture Anchor w/One #2 Parcus Braid: Blue, and One Parcus Braid Suture Tape: White/Black

MiTi & MiTi XL Titanium Screw-In Suture Anchors



The small diameter and tremendous pull-out strength of MiTi Titanium Screw-In Suture Anchors make them a versatile tool for addressing a variety of small joint applications.

Featuring an extended shaft, the MiTi XL is ideal for use in the arthroscopic management of shoulder instability.

KEY FEATURES:

- Diameters: 2.0mm, 2.5mm, & 3.5mm
- Single and double-loaded configurations
- Available with needles (BB-1 & MO-6)
- Drill bit included
- Fully-threaded design
- Self-tapping threads
- Loaded w/Parcus Braid high strength suture
- Made of 6AI-4V ELI titanium alloy

MiTi Titanium Screw-In Suture Anchors	
Part #	Description
10425	2.0mm MiTi Titanium Screw-In Suture Anchor w/Two 3-0 Parcus Braid: White & White/Blue, w/Needles: BB-1, w/ Drill Bit
10433	2.5mm MiTi Titanium Screw-In Suture Anchor w/One #2 Parcus Braid: White/Blue, w/Needles: MO-6, w/Drill Bit
10429	2.5mm MiTi Titanium Screw-In Suture Anchor w/Two 3-0 Parcus Braid: White & White/Blue, w/Needles: BB-1, w/ Drill Bit
10472	3.5mm MiTi Titanium Screw-In Suture Anchor w/One #2 Parcus Braid: White/Blue, w/Needles: MO-6, w/Drill Bit

MiTi XL Titanium Screw-In Suture Anchor	
Part #	Description
10434	2.5mm MiTi XL Arthroscopic Length Titanium Screw-In Suture Anchor, w/One #2 Parcus Braid: White/Blue

V-LoX & V-LoX³ Titanium Screw-In Suture Anchors

Quick, easy, reliable - titanium implants such as the V-LoX & V-LoX³ Titanium Screw-In Suture Anchors set the standard for soft tissue fixation by delivering high strength and stability while reducing the need for drilling and tapping.

Recommended for use in both large and small-joint repairs.

KEY FEATURES:

- Diameters: 4.5mm, 5.0mm, 5.5mm, & 6.5mm
- Double & triple-loaded configurations
- Available with needles (MO-6)
- Fully-threaded design
- Self-tapping threads
- Loaded w/Parcus Braid high strength suture
- Made of 6AI-4V ELI titanium alloy

V-LoX Titanium Screw-In Suture Anchors	
Part #	Description
10353T	4.5mm V-LoX Titanium Screw-In Suture Anchor w/Two #2 Parcus Braid: Blue & White/Green
10251	5.0mm V-LoX Titanium Screw-In Suture Anchor w/Two #2 Parcus Braid: White/Blue & White/Black
10356T	5.5mm V-LoX Titanium Screw-In Suture Anchor w/Two #2 Parcus Braid: Blue & White/Green
10252T	6.5mm V-LoX Titanium Screw-In Suture Anchor w/Two #2 Parcus Braid: Blue & White/Green
10257	5.0mm V-LoX Titanium Screw-In Suture Anchor w/Two #2 Parcus Braid: White & White/Blue, w/Needles: MO-6
10258	6.5mm V-LoX Titanium Screw-In Suture Anchor w/Two #2 Parcus Braid: White & White/Blue, w/Needles: MO-6

V-LoX³ Titanium Screw-In Suture Anchors	
Part #	Description
10284T	5.5mm V-LoX³ Titanium Screw-In Suture Anchor w/Three #2 Parcus Braid: Blue, White/Green & White/Black
10358T	6.5mm V-LoX³ Titanium Screw-In Suture Anchor w/Three #2 Parcus Braid: Blue, White/Green & White/Black